

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (canceled).

2. (canceled).

3. (currently amended): An OSD image display apparatus, comprising:

an OSD source remote controller for generating a cursor display command on a screen;

an OSD source for initially transmitting OSD cursor display data if the cursor display command is received from the OSD source remote controller, and thereafter transmitting only cursor display location information; [[and]]

a display apparatus for storing the OSD cursor display data transmitted by the OSD source in a memory, and displaying the cursor display data on the screen by reading the cursor display data stored in the memory in response to the cursor display location information[.]; and

a storage device for setting display information indicating that the OSD source is a product which can store OSD cursor display data provided from the display apparatus;

wherein the storage device is a register.

4. (canceled).

5. (canceled).

6. (original): The OSD image display apparatus of claim [[5]]3, wherein the register is an output asynchronous plug register.

AMENDMENT UNDER 37 C.F.R. § 1.116
U. S. Application No. 09/840,455

7. (original): The OSD image display apparatus of claim 3, wherein the OSD source comprises:

an MPEG source for supplying an MPEG transport stream to the display apparatus;
an OSD generator for generating OSD display data in bitmap format; and
a controller for controlling the MPEG source and the OSD generator.

8. (original): The OSD image display apparatus of claim 7, wherein the OSD source further comprises:

a command input part for receiving a command signal from the OSD source remote controller and providing the command signal to the controller.

9. (original): The OSD image display apparatus of claim 3, wherein the display apparatus comprises:

an MPEG decoder for decoding an MPEG transport stream and outputting image data;
a buffer for buffering OSD data;
an overlapper for overlapping the image data and the OSD data and providing overlapped data to the screen; and
a controller for controlling the MPEG decoder, the buffer, the overlapper, the memory, and the screen.

10. (original): The OSD image display apparatus of claim 9, wherein the OSD image display apparatus further comprises:

a display apparatus remote controller.

11. (original): The OSD image display apparatus of claim 10, wherein the display apparatus further comprises:

AMENDMENT UNDER 37 C.F.R. § 1.116
U. S. Application No. 09/840,455

*Bl
cancel* a command input part for receiving a command signal from the display apparatus remote
controller and providing the command signal to the controller.
